

**UNITED STATES PATENT AND TRADEMARK OFFICE****DEC 01 2006**UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/801,520	03/16/2004	Elizabeth A. Mazzio		3209

7590

11/03/2006

Elizabeth A. Mazzio
982 West Brevard Street, D #22
Tallahassee, FL 32304

EXAMINER

FLOOD, MICHELLE C

ART UNIT

PAPER NUMBER

1655

DATE MAILED: 11/03/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT

PAPER

20061017

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Acknowledgment is made of the receipt and entry of the amendment filed on September 20, 2006. Further acknowledgment is made of the cancellation of Claims 1-16 and 21-32 and newly submitted Claims 33-60. However, Applicant is not fully responsive to the previous Office action because while Claims 17-20 either directly or indirectly depend from Claim 1, Claim 1 was cancelled.

Since the submission appears to be a bona fide attempt to provide a complete reply to the prior Office action, Applicant is given a shortened statutory period of ONE MONTH or THIRTY DAYS from the mailing date of this letter, whichever is longer, to submit a complete reply. This shortened statutory period for reply supersedes the time period set in the prior Office action. This time period may be extended pursuant to 37 CFR 1.136(a).

Michele C. Flood
MICHELE FLOOD
PRIMARY EXAMINER

Michele Flood
Primary Examiner
Art Unit: 1655